


DIGITUS Yüksek Kaliteli CAT 5e U/UTP ara bağlantı kablosu

DK-1512-005/R
EAN 4016032198901



CAT 5e U-UTP patch cord, PVC AWG 26/7, length 0.5 m, red

The DIGITUS® Category 5e Class D patch cords are manufactured and tested to the ISO/IEC 11801 and DIN EN 50173 Category 5e specifications. They will guarantee the installed cabling system is compliant with the ISO & EN channel specification requirements and will provide optimum performance levels of DIGITUS® Category 5e cabling. The performance is tested up to 100 MHz inclusive performance characteristics such as near end cross talk ("NEXT"). DIGITUS® patch cords are designed and produced to fulfill the highest requirements of various application areas in full volume. Each cable is fitted with a molded boot which comes with kink protection and strain relief. Furthermore the boot is equipped with a latch protection that prevents the latching lever against breaking. You can easily identify the Category 5e, because of the transparent blue colored connector.

Ağınız için mükemmel performans ve bağlantı kalitesi.

- 2x RJ45 konnektör (8P8C)

- Kırılmaya karşı korumalı, gerginlik azaltıcı ve tespit mandalı koruyuculu başlıklar
- Muhafaza üzerinde uzunluk tanımı
- Çeşitler: Bükümlü Çift Bağlantı Kabloları
- Konektör 1: Modüler RJ45 (8/8) fiş
- Konektör 2: Modüler RJ45 (8/8) fiş
- Paket: DIGITUS Polietilen Torba
- Yapılandırma: 1:1
- Kategori: CAT 5e
- Koruma: U-UTP, korumasız
- Uzunluk: 0.5 m
- Renk: kırmızı
- İnce Versiyon: no
- Kılıf: PVC
- Yapı: 4 adet 2 AWG 26/7, bükümlü çift
- Flat Version: no

| Logistics | | | | | | |
|------------------------------|--------------|-------------|------------|------------|-------------|-----------|
| | Number (pcs) | Weight (kg) | Depth (cm) | Width (cm) | Height (cm) | cm³ |
| Packaging Unit Carton | 250 | 5.40 | 36.00 | 36.00 | 22.00 | 28,512.00 |
| Packaging Unit Inside | 10 | 0.22 | 4.50 | 20.00 | 24.00 | 2,160.00 |
| Packaging Unit Single | 1 | 0.02 | 0.90 | 11.50 | 21.00 | 217.35 |
| Net single without Packaging | 1 | 0.02 | 50.00 | 1.20 | 1.30 | 0.00 |

More images:

