

# DIGITUS Соединительный кабель USB 3.0, A/M - микро B/M

AK-300116-010-S  
EAN 4016032283287



**USB 3.0 connection cable, type A - micro B M/M, 1.0m, USB 3.0 conform, b1**

Для подключения внешних USB-устройств 3.0 (с разъёмом типа микро-B, например, внешнего жесткого диска, плеера MP3 или смартфона) к USB-хосту (например, ПК, ноутбуку или USB-разветвителю). Скорость передачи данных до 5 Гбит/с (Super-Speed).

**Плотная экранировка позволяет обеспечить надежное и быстрое соединение внешних USB 3.0 устройств с ПК, особенно при больших расстояниях между ними.**




- Assortment: USB Cables


- AWG: 28
- Color cable: black
- Color connector: black
- Connector 1: USB A, plug
- Connector 2: Micro USB B, plug
- Connector surface: nickel-plated
- Ferrite filter: none
- Hoods: molded
- USB compliance: USB 3.0 / 3.1
- Wire material: CU
- Length: 1 m
- Shielding: triple shielding

**Logistics**

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	200	12.00	46.00	33.00	27.00	40,986.00
Packaging Unit Inside	10	0.60	34.00	21.00	5.00	3,570.00
Packaging Unit Single	1	0.06	18.00	15.00	2.00	540.00
Net single without Packaging	1	0.05	13.50	12.00	1.50	0.00

**More images:**



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)