


# DIGITUS Cabo adaptador DisplayPort

**AK-340301-020-S**  
**EAN 4016032289081**



**DisplayPort adapter cable, DP - DVI (24+1) M/M, 2.0m, w/interlock, DP 1.1a, CE, bi**

Este cabo digital HD, converte sinais DisplayPort em sinais DVI e é ideal para ligação de dispositivos com interface DisplayPort e TV HD compatível, projetor ou monitor com interface DVI.



**Resolução Full HD até 1080p**

- Suporta até 1080p com 60 Hz
- Fios de cobre, blindado com película e entrançado para uma robustez e uma ligação fiável
- Plug & Play, não é necessário um controlador adicional
- Assortment: DisplayPort Cables
- AWG: 30
- Color cable: black

- Color connector: black
- Connector 1: DP, plug
- Connector 2: DVI-D, (24+1), plug
- Connector surface: nickel-plated
- DisplayPort standard: DisplayPort 1.1a
- Ferrite filter: none
- HDTV Standard: Full HD
- Hoods: molded
- Interlock: Snap fastener
- Wire material: CU
- Length: 2 m
- AOC - Active Optical Cable: no
- Shielding: Double shielding

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	50	6.50	50.00	32.00	22.00	35,200.00
Packaging Unit Inside	10	1.30	25.00	18.00	9.00	4,050.00
Packaging Unit Single	1	0.13	2.30	17.00	24.50	957.95
Net single without Packaging	1	0.13	17.00	13.00	2.00	0.00

**More images:**



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)