

DIGITUS Cabo de ligação HDMI High Speed, com amplificador

AK-330105-200-S
EAN 4016032295822



HDMI High Speed connection cable, type A, w/ amp. M/M, 20.0m, Full HD, CE, gold, bl

Este cabo compatível com Full HD (1080p) e 3D com amplificador ativo serve para ligar equipamentos áudio/vídeo, como, por exemplo, leitores Blu-Ray, consolas de jogo etc. a uma televisão, monitor ou PC.

Compatível com Full HD e 3D



- Suporta funcionalidade HDMI 1.3
- Suporta até 1080p com 60 Hz
- Suporta formatos de vídeo: 1080p@24 Hz, 1080p@30, 1080p @60 Hz ou 3D
- Formatos áudio suportados: Áudio DVD, SACD, Dolby Digital Plus, TrueHD e dts-HD
- Suporta 3D

Attributes

- Assortment: HDMI Cables
- AWG: 28
- Color cable: black
- Color connector: black
- Connector 1: HDMI type A, plug
- Connector 2: HDMI type A, plug
- Connector surface: gold-plated
- HDMI Standard: High Speed HDMI
- HDTV Standard: Full HD
- Hoods: molded
- Wire material: CU
- Length: 20 m
- AOC - Active Optical Cable: no
- Shielding: Double shielding

| Logistics | | | | | | |
|------------------------------|--------------|-------------|------------|------------|-------------|-----------------|
| | Number (pcs) | Weight (kg) | Depth (cm) | Width (cm) | Height (cm) | cm ³ |
| Packaging Unit Carton | 8 | 11.30 | 50.50 | 32.50 | 21.50 | 35,286.90 |
| Packaging Unit Inside | 1 | 1.41 | 19.00 | 19.00 | 8.00 | 2,888.00 |
| Packaging Unit Single | 1 | 1.41 | 19.00 | 19.00 | 8.00 | 2,888.00 |
| Net single without Packaging | 1 | 1.20 | 17.50 | 17.00 | 7.50 | 0.00 |

More images:



Safety notes

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com