

# DIGITUS DVI Adapter

**AK-320502-000-S**  
**EAN 4016032300496**



**DVI Adapter, Type DVI(24+1)-DVI(24+5) M/F, DVI-D Dual Link, bl**

This adapter is suitable to connect a DVI(24+5) cable to device or cables with DVI(24+1) connector, for example .

**Full HD, Dual-Link**

- Support up to 2560 x 1600 pixel with 30Hz
- Assortment: DVI Cables
- Cable type: Dual-Link
- Color connector: black

- Connector 1: DVI-D, (24+1), plug
- Connector 2: DVI-I, (24+5), jack
- Connector surface: nickel-plated
- HDTV Resolution max.: 2560 x 1600 Pixel, 60Hz
- HDTV Standard: Full HD
- Hoods: molded
- Packaging: Polybag
- Shielding: single shielding

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	200	8.20	37.00	24.00	18.00	15,984.00
Packaging Unit Inside	10	0.41	27.00	24.00	2.00	1,296.00
Packaging Unit Single	1	0.04	8.00	5.00	1.50	60.00
Net single without Packaging	1	0.04	8.00	5.00	1.50	0.00

**More images:**



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)