


# DIGITUS Cabo de alimentação alemão

AK-440103-018-S  
EAN 4016032311799



## Power Cord, CEE 7/7 (Typ-F) - C5 M/F, 1.8m, H05VV-F3G 0.75qmm, black

Este cabo de rede, também designado por cabo de alimentação com "Mickey Mouse" ou conector "Trevo", é utilizado para ligar um computador portátil ou o adaptador de alimentação a uma fonte de alimentação eléctrica alemã (Tomada).

### Aprovações europeias

#### Attributes

- Assortment: Device Connection Cables
- Cable standard: H05 VV F3G

- Color cable: black
- Color connector: black
- Connector 1: Schuko (CEE 7/7), plug
- Connector 2: IEC C5, jack
- Connector surface: nickel-plated
- Current load capacity: 250V/10A
- Hoods: molded
- Lead cross-section: 0.75qmm
- Packaging: Polybag
- Wire material: CU
- Length: 1.8 m
- Shielding: Unshielded

### Logistics

|                              | Number<br>(pcs) | Weight<br>(kg) | Depth<br>(cm) | Width<br>(cm) | Height<br>(cm) | cm³       |
|------------------------------|-----------------|----------------|---------------|---------------|----------------|-----------|
| Packaging Unit Carton        | 70              | 13.64          | 49.00         | 32.00         | 22.00          | 34,496.00 |
| Packaging Unit Inside        | 10              | 1.95           | 34.00         | 33.50         | 3.50           | 3,986.50  |
| Packaging Unit Single        | 1               | 0.19           | 4.50          | 15.00         | 18.00          | 1,215.00  |
| Net single without Packaging | 1               | 0.18           | 15.50         | 12.50         | 4.00           | 0.00      |

### Safety notes

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

### EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)