

# DIGITUS Cabo de instalação par entrançado CAT 6A U-FTP DIGITUS®

DK-1623-A-VH-305  
EAN 4016032344124



## CAT 6A U-FTP installation cable, 500 MHz Eca (EN 50575), AWG 23/1, 305 m drum, sx, blue

Os cabos de instalação da categoria 6A U-FTP DIGITUS® foram desenvolvidos e testados de acordo com as normas ISO/IEC 11801, TIA/586-C.2 e YD/T1019 categoria 6A. Cada cabo é constituído por 8 condutores com código de cores AWG 23 isolados em polietileno. Os condutores estão entrançados em 4 pares com diferentes comprimentos de colocação. Os detalhes impressos na cobertura exterior contêm o nome da marca e o número do artigo. O cabo é fornecido numa caixa de extracção em cartão ou numa bobine de madeira que simplifica a instalação.

### Melhor desempenho e melhor qualidade de ligação com a rede.




- Número total de condutores isolados: 8, entrançados em 4 pares

- Código de cor: azul-branco, laranja-branco, verde-branco, castanho-branco
- Blindagem dos pares individuais: folha em poliéster oculta em alumínio, cobre 100%
- Cor: Azul claro
- Cor: Azul claro
- Assortment: Twisted Pair Installation Cables
- Category: CAT 6A
- Shielding: U-FTP, pairs in metal foil
- CPR: Eca
- Length: 305 m
- Color: light-blue
- Jacket: LSOH
- Structure: 4 x 2 AWG 23/1, solid twisted pair

### Logistics






	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	1	14.96	37.00	37.00	22.00	30,118.00
Packaging Unit Inside	1	14.96	37.00	37.00	22.00	30,118.00
Packaging Unit Single	1	14.96	37.00	37.00	22.00	30,118.00
Net single without Packaging	1	0.00	0.00	0.00	0.00	0.00

### More images:



DIGITUS	
Produktdatenblatt / Product Information	Physikalische Spezifikationen / Physical Properties
<p><b>Produktbeschreibung</b>        Produkttyp: Patchkabel, Cat. 6A, Patch, Industriell        Länge: 5m        Shield: Unshielded        Hersteller: DIGITUS        Produktcode: 3728001303</p>	<p><b>Line:</b> Cat. 6A  <b>Shielding:</b> Unshielded  <b>Color:</b> Blue  <b>Length:</b> 5m  <b>Manufacturer:</b> DIGITUS  <b>Product Code:</b> 3728001303</p>
Elektrische Eigenschaften / Electrical Properties	Mechanische Eigenschaften / Mechanical Properties
<p><b>Impedanz:</b> 100 Ω  <b>Shielding:</b> Unshielded  <b>Shielding Loss:</b> -0.7 dB  <b>Attenuation:</b> 0.5 dB  <b>Attenuation:</b> 1.0 dB  <b>Attenuation:</b> 2.0 dB</p>	<p><b>Shielding:</b> Unshielded  <b>Shielding Loss:</b> -0.7 dB  <b>Attenuation:</b> 0.5 dB  <b>Attenuation:</b> 1.0 dB  <b>Attenuation:</b> 2.0 dB</p>

DIGITUS										
Leistungsmerkmale / Performance Properties										
SHIELD	ATT	RETX	PS NEXT	ACR	PS ACR	AL	SLRXT	PS SLRXT	PS NEXT	PS ACR
100	45	45	45	45	45	45	45	45	45	45

Safety notes

- Data cables must not be bent, stretched or twisted excessively. Sharp bends can damage the cable sheath and lead to failures or short circuits.
- Installation only by trained specialists.
- Installation only in dry rooms.
- The data cable must not be in direct contact with other electrical cables or high-voltage sources in order to avoid electromagnetic interference.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.  
 ASSMANN Electronic GmbH  
 Auf dem Schüffel 3  
 Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)