


# DIGITUS Cat.7A S/FTP, installation cable, 500 m, duplex, Dca-s1a d1 a1

DK-1743-A-VH-D-5  
 EAN 4016032380610



**CAT 7A S-FTP installation cable, 1500 MHz Dca (EN 50575), AWG 22/1, 500 m drum, dx, yellow**

Adequado para a construção de cablagem estruturada na área secundária e terciária.

**Melhor desempenho e melhor qualidade de ligação com a rede.**



- Número total de condutores isolados: 8, entrançados em 4 pares
- Código de cor: azul-branco, laranja-branco, verde-branco, castanho-branco

- Blindagem dos pares individuais: folha em poliéster oculta em alumínio, cobre 100%
- Assortment: Twisted Pair Installation Cables
- Category: CAT 7A
- Shielding: S-FTP, pairs in metal foil and braid shielding
- CPR: Dca
- Length: 500 m
- Color: yellow
- Jacket: LSOH
- Structure: 4 x 2 AWG 22/1, solid twisted pair

### Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	1	71.00	50.00	53.00	53.00	140,450.00
Packaging Unit Inside	1	71.00	50.00	53.00	53.00	140,450.00
Packaging Unit Single	1	71.00	50.00	53.00	53.00	140,450.00
Net single without Packaging	1	71.00	0.00	0.00	0.00	0.00

### More images:



Produktinformationen Product Information	Physikalische Spezifikationen Physical Properties
<b>Artikelnummer</b> DK-1743-A-VH-D-5	<b>Impedanz</b> 100 Ohm
<b>Artikelname</b> Cat.7A S-FTP Installation Cable, 500m, Duplex, Dca	<b>Minimale Spannung</b> 300 V
<b>Produktfamilie</b> Installation Cables	<b>Maximale Spannung</b> 500 V
<b>Material</b> LSOH	<b>Flammverhalten</b> Dca
<b>Abmessungen</b> 22.0mm	<b>Abmessungen</b> 500m
<b>Farbe</b> Gelb	<b>Struktur</b> 4 x 2 AWG 22/1, solid twisted pair
<b>Wartungsinformationen</b> Keine besonderen Wartungsanforderungen	<b>Montageanweisungen</b> Keine besonderen Montageanforderungen

**Leitungsgeometrien Transceiver Properties**


WIRE	AWG	WT	WT	WT	WT	WT	WT	WT	WT	WT
1	18	19	19	19	19	19	19	19	19	19
2	18	19	19	19	19	19	19	19	19	19
3	18	19	19	19	19	19	19	19	19	19
4	18	19	19	19	19	19	19	19	19	19
5	18	19	19	19	19	19	19	19	19	19
6	18	19	19	19	19	19	19	19	19	19
7	18	19	19	19	19	19	19	19	19	19
8	18	19	19	19	19	19	19	19	19	19
9	18	19	19	19	19	19	19	19	19	19
10	18	19	19	19	19	19	19	19	19	19
11	18	19	19	19	19	19	19	19	19	19
12	18	19	19	19	19	19	19	19	19	19
13	18	19	19	19	19	19	19	19	19	19
14	18	19	19	19	19	19	19	19	19	19
15	18	19	19	19	19	19	19	19	19	19
16	18	19	19	19	19	19	19	19	19	19
17	18	19	19	19	19	19	19	19	19	19
18	18	19	19	19	19	19	19	19	19	19
19	18	19	19	19	19	19	19	19	19	19
20	18	19	19	19	19	19	19	19	19	19

**Certificate**  
No. 49874-21

Class E

**Zertifikat**  
No. 49874-21

Klasse E




**UPP Standard**

UPP Standard	Standard	Standard	Standard
B2ca	1+	1+	1+
Cca	3	3	3
Dca	3	3	3
Eca	3	3	3

**CAT 7 A S/FTP Installation Cable, 500m, Duplex, D<sub>ca</sub>**

1500 MHz, 10 Gbit Ethernet, CAT 7 A, 1500 MHz, AWG 22/1, LSZH, D<sub>ca</sub> CPH Class



**Safety notes**

- Data cables must not be bent, stretched or twisted excessively. Sharp bends can damage the cable sheath and lead to failures or short circuits.
- Installation only by trained specialists.
- Installation only in dry rooms.
- The data cable must not be in direct contact with other electrical cables or high-voltage sources in order to avoid electromagnetic interference.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
info@assmann.com