


# DIGITUS USB Type-C™ to serial adapter

DA-70166  
EAN 4016032435129



## USB Type C 2.0 to serial Converter, DSUB 9M 1m cable length, FTDI chipset

The DIGITUS® USB Type-C™ serial adapter is a practical solution for serial connectivity. RS232 serial interfaces are no longer available on new hardware, so the DIGITUS® USB Type-C™ serial adapter enables data exchange between a computer USB Type-C™ port and peripheral devices with serial interfaces (COM port, RS232). These include, for example, weather stations, sensors, machine control systems, set-top boxes, gaming consoles, PDAs, scanners, modems, ISDN adapters and many other peripheral devices. The USB Type-C™ serial adapter is downwardly compatible with USB 1.1 and enables adaptable baud rates of between 75 and 128,000 bits per second. The customizable FTDI chipset is compatible with all common operating systems and also supports power management and remote wake up. A separate power supply is not required, because the device is powered through

the USB connection.

### Connects serial devices via USB Type-C™ port to a PC

- Provides a serial RS232 interface via USB Type-C™
- Compliant with USB 2.0 standards
- Downward compatibility with USB 1.1
- Data transfer rates 1Mbps and more
- Support remote wake-up and power management
- Cable length: 1m
- Chipset: FTDI / FT232RL
- Supports Windows 11, 10, 8.1, 8, 7, Vista, XP, Mac OS X and Linux
- USB-C Products: yes

### Package contents

- USB / serial adapter
- Driver CD

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	100	11.20	50.40	21.30	41.80	44,873.10
Packaging Unit Inside	1	0.11	20.30	8.60	2.30	401.53
Packaging Unit Single	1	0.11	20.30	8.60	2.30	401.53
Net single without Packaging	1	0.02	100.00	3.50	1.50	0.00

## More images:

