

DIGITUS Модульный KVM-переключатель, 16 портов

DS-72214
EAN 4016032447610



KVM module, 16 port for modularized KVM console

Модульный KVM-переключатель DIGITUS® позволяет создавать множество индивидуальных конфигураций под разные области применения консоли. Таким образом обеспечивается экономичность консоли и возможность расширения или замены отдельных модулей. Гибкая конфигурация гарантирует долговечность консоли. Модульный KVM-переключатель позволяет подключать сервер через разъемы USB, PS/2 и VGA. Для эксплуатации требуется модульная консоль DIGITUS® 17" или 19", клавиатура и соответствующий кабельный ввод. Высококачественные модульные KVM-переключатели с функцией IP (опция) идеально подходят для небольших и средних серверных, где необходим постоянный доступ администратора ко всем модулям. Они обеспечивают прямое соединение с браузером для локальной консоли или консоли с дополнительным IP-модулем через имеющееся интернет-соединение. Вспомогательное оборудование предлагается в нескольких вариантах.

Максимальная гибкость администрирования группы серверов

- Управление несколькими ПК через модульную консоль DIGITUS® 17" или 19"

- Удаленный доступ по IP через дополнительный IP-модуль DS-51000-1
- Полное управление во всех ОС, в настройках BIOS, во время загрузки ОС или при появлении «синего» экрана
- Не требуется дополнительное программное обеспечение
- Удаленное включение целевого компьютера
- Возможно каскадное расширение
- Разрешение зависит от используемой консоли
- Поддерживает возможность «горячего» подключения
- Эмуляция клавиатуры и мыши обеспечивает безошибочную процедуру загрузки компьютера
- Автоматическое сканирование (от 5 до 90 с, по выбору)
- Совместим со спецификацией USB 2.0

Attributes


- Cascading possible: yes
- Number of ports: 16

Package contents

- Модульный KVM-переключатель, 16 портов
- Краткое практическое руководство
- Монтажный материал
- 16 кабелей для подключения к серверу
- 16 кабелей для подключения к серверу

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	4	21.48	47.50	33.00	44.00	68,970.00
Packaging Unit Inside	1	5.37	47.50	15.20	22.00	15,884.00
Packaging Unit Single	1	5.37	44.50	14.80	4.50	2,963.70
Net single without Packaging	1	4.96	44.50	14.80	4.50	0.00

More images:



Safety notes

- This product is intended for indoor use only.
- Read all instructions.
- Follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- If this appliance falls, it can cause serious damage.
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- This device is designed for the IT distribution system with 100 V - 230 V voltage.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- If an extension cable is used for the appliance, make sure that the total capacity of all products using the cable does not exceed the current load.
- Ensure that the total current of all products connected to the socket does not exceed 15 A.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and send it to an authorized service centre for repair
- The mains cable or plug is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com