

# DIGITUS USB Type-C adapter / converter, Type-C™ to USB Type-C + 3.5mm stereo

AK-300400-002-S  
EAN 4016032451105



**USB Type-C Splitter cable, type C - 3.5mm+type C M/F/F, 0.2m, Gen2, 5A, 10GB, Vers. 3.1, b1**

This adapter / converter allows you to connect headphones, a headset or speakers to a device with a USB Type-C socket as well as to extend your USB Type-C interface at your Smartphone, Tablet, Notebook.

**Phone calls or listen to music while charging your device.**

- Power supply up to 20V/5A and 100W
- Support of PD 3.0 fast charging (Power Delivery)
- Support of 24bit / 192 KHz digital music
- Plug and Play Installation
- USB Type-C signal pass through (Data and Power)
- USB Type-C connector can be used in both directions
- No support of phone function

- System requirements: Win7, Win8, Win10 + higher

**Attributes**

- AWG: 24
- Color cable: black
- Connector 1: USB C, plug
- Connector 2: USB-C jack
- Connector surface: nickel-plated
- Hoods: molded
- Wire material: CU
- Length: 0.2 m
- Shielding: single shielding
- USB-C Products: yes

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	200	4.80	40.00	30.00	18.00	21,600.00
Packaging Unit Inside	10	0.24	36.00	28.00	9.60	9,676.80
Packaging Unit Single	1	0.02	19.60	9.20	1.05	189.34
Net single without Packaging	1	0.00	16.00	4.40	1.10	0.00

**More images:**



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)