

# DIGITUS Кабель-удлиннитель USB Type-C пок. 2, Type-C к C

AK-300210-007-S  
EAN 4016032451129



**USB Type-C extension cable, type C M/F, 0.7m, Gen2, 5A, 10GB, 3.1 Version, CE, BI**

С кабелем-удлиннителем USB Type-C можно удлинить расстояние использования интерфейса Type-C на ноутбуке, планшете, смартфоне или на док-станции.

**Удлиннитель для порта Type-C port для подключения к MacBook или другим устройствам**

- Скорость передачи данных по USB 3.1 до 10 Гбит/с, Superspeed+
- Поддерживает энергоснабжение до 20 В/5 А, 100 Вт
- Поддерживает спецификацию USB PD (подача мощности).

- Поддержка видео-/аудиосигналов до 4K (4096 x 2304, 30 Гц)
- Поддерживает видео-/аудиосигналы стандарта DisplayPort
- AWG: 26
- Color cable: black
- Connector 1: USB C, plug
- Connector 2: USB-C jack
- Connector surface: nickel-plated
- Ferrite filter: none
- USB compliance: USB 3.0 / 3.1
- Length: 0.7 m
- Shielding: Double shielding
- USB-C Products: yes

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	200	5.90	35.00	26.00	24.00	21,840.00
Packaging Unit Inside	10	0.30	25.00	30.00	7.60	5,700.00
Packaging Unit Single	1	0.03	1.00	11.50	21.50	247.25
Net single without Packaging	1	0.03	1.00	10.50	9.00	0.00

More images:





**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
 Auf dem Schüffel 3  
 Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)