

DIGITUS 24 Port Gigabit Network Switch

DN-80113-1
EAN 4016032458067



DIGITUS 24-Port Gigabit Switch 24-port 10/100/1000Base-T

The DN-80113-1 has 24 10/100/1000 Mbps RJ45 ports, with port 23 and port 24 as the uplink ports. It uses store-and-forward technology in combination with the dynamic memory allocation for each port. The integrated VLAN function can improve the network environment and reduces network maintenance costs. The DN-80113-1 is easy to manage and maintain.

24 Port Gigabit Network Switch, 2 uplink ports, flow control, 8K MAC address table, VLAN

- Supports IEEE802.3, IEEE802.3u, IEEE802.3x, IEEE802.3az
- Flow control for full duplex operation and back pressure for half duplex operation
- Supports VLAN mode
- LED lights for monitoring the operating status and for fault analysis
- 48 Gbps switching capacity
- MAC address table: 8K
- Supports jumbo frame up to 9216K bytes
- Packet memory: 4.1 M Bit



- Forwarding rate: 35.7 Mpps
- Energy savings: IEEE 802.3az
- LED display PWR (green), LINK / ACT: (green)
- Power Input Spec: AC:100-240V
- Power consumption: 5.32W
- Number of ports: 24
- Ethernet speed: Gigabit
- Industrial usage: no
- Managed: no
- Outdoorsuitable: no
- PoE (Power over Ethernet): no
- Protection against vanadism: no
- VLAN: yes

Package contents

- 1x 24 Port Gigabit Network Switch
- 1x Connection cable
- 1x User manual

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	5	9.20	38.30	42.60	26.00	42,421.10
Packaging Unit Inside	1	1.84	23.00	37.00	8.00	6,808.00
Packaging Unit Single	1	1.84	23.00	37.00	8.00	6,808.00
Net single without Packaging	1	1.54	17.90	28.00	4.40	0.00

More images:



Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and send it to an authorized service centre for repair
- The mains cable, power supply unit or plug for the power supply is damaged or worn;
- Liquid has penetrated the appliance;
- The device has been exposed to rain or water;
- The device has been dropped or the housing has been damaged;
- The function of the device has obviously changed;
- The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.
 ASSMANN Electronic GmbH
 Auf dem Schüffel 3
 Lüdenscheid, Germany

<https://www.assmann.com>
info@assmann.com