

DIGITUS 8-Port Switch, 10/100/1000 Mbps Gigabit Ethernet, Unmanaged, Metall Housing

DN-80066
EAN 4016032478683



Digitus 8-Port RJ 45 GE Switch 8 x 10/ 100 /1000 Mbit/s

This is a 8 port 10/100/1000Mbps Ethernet Switch, provides the seamless network connection. All ports support Auto MDI/MDIX function ,with 8 10/100/1000Mbps Auto-Negotiation RJ45 ports. The Switch with a low-cost, easy-to-use, high performance upgrade your old network to a 1000Mbps network. □□The switch is easy to install and use. It is suitable for expanding your home or office network. The LED on the front panel can dynamically display the operation status of the network.

8-port 10/100/1000Mbps unmanage Gigabit Ethernet Switch, Auto-Negotiation RJ45 ports, All ports support Auto MDI/MDIX function

- Number of ports: 8 x 10/100/1000 Mbps
- Network standards: IEEE802.3i, IEEE802.3u, IEEE802.3ab
- Auto-negotiation: Auto MDI/MDIX
- IEEE802.3x full-duplex flow control
- Switching Capacity: 16Gbps
- Mac address Table: 4K
- Packet Forwarding Rate: 11.9Mpps
- Packet Buffer: 1.5Mbit
- Jumbo Frame 9216Byte
- Transfer Method: Store and Forward
- LED indicators: link, active , power on



- Operating voltage: 5V DC / 1A
- Power consumption: 3.1W max.
- Power supply Power supply: 100 - 240 V AC, 50/60 Hz, 5 W
- Plug type device side: DC plug 5.5 mm/2.1 mm
- Operating temperature: 0°C to 40°C
- Operating humidity: 10% - 90% RH (non-condensing)
- Storage temperature: -10°C to 70°C
- Fanless design (air flow cooling)
- Dimensions: 140x76x28 mm
- Weight: 435 g
- Chipset: RTL8370N-VB
- Number of ports: 8
- Ethernet speed: Gigabit
- Industrial usage: no
- Installation type: Desktop
- Managed: no
- Outdoorsuitable: no
- PoE (Power over Ethernet): no
- Protection against vandalism: no
- VLAN: no

Package contents

- 1 x 8-port gigabit switch, unmanaged
- 1 x power supply
- 1 x Quick Start Guide

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	30	15.30	38.70	49.50	35.60	68,197.10
Packaging Unit Inside	1	0.51	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.51	12.20	16.30	9.40	1,869.28
Net single without Packaging	1	0.00	7.60	14.00	2.80	0.00

More images:



Safety notes

- This product is intended for indoor use only.
- Read all instructions and follow all warnings and instructions on the device.
- Do not place this appliance on an unstable surface (such as a trolley, stand, table, etc.).
- Do not use this appliance near water.
- Do not place this appliance near or above a radiator.
- The housing is equipped with openings for heat dissipation and ventilation. To prevent overheating during operation, the ventilation openings must not be blocked or covered.
- Do not place the appliance on a soft surface (e.g. bed, sofa, blanket, etc.). This will block the ventilation.
- The appliance must not be installed in a closed environment if adequate ventilation is not guaranteed.
- Do not spray any liquids onto the appliance.
- Disconnect the mains plug before cleaning. Do not use any liquid or foam cleaners.
- Clean the appliance with a damp cloth.
- Connect the device according to the power supply on the rating plate.
- To prevent damage to the appliance, it is important that all appliances are properly earthed.
- Do not place any objects on the power cable and lay it in such a way as to avoid tripping hazards.
- Use a surge protector, a regulator or an uninterruptible power supply (UPS) to protect your system from sudden, temporary and reduced power.
- Secure the system cable and mains cable properly and ensure that no objects are pressing on the cable.
- Do not insert any objects into the appliance through the openings in the housing. There is a risk of a short circuit, which can lead to fire or electric shock.
- Do not attempt to repair the appliance yourself. Always contact an authorized customer service centre.
- If any of the following conditions occur, unplug the appliance and return it to an authorized service centre for repair
 - The mains cable, power supply unit or plug for the power supply is damaged or worn;
 - Liquid has penetrated the appliance;
 - The device has been exposed to rain or water;
 - The device has been dropped or the housing has been damaged;
 - The function of the device has obviously changed;
 - The appliance cannot be operated as described in the operating instructions.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.
 ASSMANN Electronic GmbH
 Auf dem Schüffel 3
 Lüdenscheid, Germany

<https://www.assmann.com>
info@assmann.com