

DIGITUS DIGITUS USB-A 5V PoE Splitter

DN-95208
EAN 4016032482437



Gigabit USB-A PoE Splitter USB TYPE A Female

DN-95208 is an indoor rated PoE USB-A splitter specially designed for complex backhaul and networking application. Enclosed in an IP40 fire retardant plastic case with compact design. It works as a converter to get power and data from PoE injector or PoE Switch of 802.3af/at over RJ45 connector then separate power and data to PDs. The output power is 5Vdc, 2.5A(max) via USB-A Female connector to PDs. Such as power communication station, wireless APs, network cameras, Tablet PC, and other USB-A devices. PoE signal into a separate data signal at 10/100Mbps. For planning purposes, the effective distance is 100 meters via Cat5e/Cat6 cables from Ethernet data source to PD.

PoE splitter provides power 5Vdc, 2.5A(max) via USB-A Female connector and data signal at 10/100Mbps

- PoE Input :40-57Vdc PoE 802.3af/at
- USB Power Output: 5Vdc 2.5A(max)
- Data Output Speed: 10/100Mbps (RJ45)

- IEEE 802.3u , 802.3af/at
- IEEE 802.3u , 802.3af/at
- Operating Temperature: 0° to 40°
- Wall-mountable
- IP40 rated Protection
- Input Power Pins: 4/5(+), 7/8(-) or 3/6(+),1/2(-)
- Size: 82.3 x34.7 x 19mm
- Attached cable length 124mm
- Number of ports: 1
- PoE standard: IEEE802.3at (PoE+)
- Ethernet speed: Fast Ethernet
- Industrial usage: no

Package contents

- USB PoE splitter
- Manual x1

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	40	5.94	35.50	43.50	22.00	33,973.50
Packaging Unit Inside	1	0.15	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.15	9.70	16.50	4.00	640.20
Net single without Packaging	1	0.07	3.40	8.20	1.90	0.00

More images:



