

# DIGITUS 8K Mini DisplayPort Adapter Cable, Mini DP - HDMI Type A

DB-340109-010-S  
EAN 4016032484219



### DisplayPort Adapter Cable, Type mini-DP - HDMI M/M, 1.0m, Alu Housing, UHD 8K, DP 1.4, bl

This digital HD high-performance audio/video cable is used to connect PCs or notebooks with Mini DisplayPort interface to monitors with HDMI interface.

#### Avoid adapters with a Plug and Play cable adapter that does not require external power supply

- Supports HDMI 2.1 and mini-DisplayPort 1.4 characteristics
- Supports up to 8K with 60Hz
- Supports 8K 3D with a resolution of 1080p
- Support of digital audio transmission in stereo
- Supports HDCP and DPCP
- Hood: Aluminum housing
- AOC - Active Optic Cable: no

### Attributes


- AWG: 32
- Color cable: black
- Connector 1: Mini DP, plug
- Connector 2: DP, plug
- Connector surface: gold-plated
- DisplayPort standard: DisplayPort 1.4
- HDTV Standard: Ultra HD 8K
- Hoods: Aluminum
- Length: 1 m
- AOC - Active Optical Cable: no
- Shielding: triple shielding

### Package contents

- 1x 8K Mini DisplayPort Adapter Cable, Mini DP - HDMI Type A, 1 m

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	120	6.40	49.00	52.00	25.00	63,700.00
Packaging Unit Inside	1	0.05	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.05	2.30	7.50	23.50	405.38
Net single without Packaging	1	0.03	2.00	7.00	21.50	0.00

### More images:



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)