

# DIGITUS 16-Port Gigabit PoE Networkswitch, 19 Zoll, unmanaged, 2 Uplink Ports, SFP

DN-95358  
EAN 4016032485445



**16+2 Port GE + 2GE SFP Uplink PoE Switch 16+2 Port 10/100/1000 Mbps + 2GE SFP PoE Switch**

“The DN-95358 PoE Switch is a 16-port 10/100/1000Mbps PoE + 2G Gigabit RJ45 +2 Gigabit SFP PoE switch. □The PoE ports can automatically detect IEEE 802.3af/at-compliant Powered Devices (PDs) and supply them with power. □Your network is able to extend power and data transmission via a single cable to locations where there are no power lines or outlets □that you could use to install devices such as APs, IP cameras or IP phones and the like.□The PoE switch offers a simple, cost-effective and non-blocking wire-speed performance□ with 11-inch metal form for rack installation in office or department networks.”

**Key function: VLAN & CCTV & PD-Alive**

- Interface: 16\* 10/100/1000Mbps RJ45 port
- 2\*10/100/1000Mbps RJ45 port
- 2\*1000Mbps SFP Slot
- Standard: IEEE802.3, IEEE802.3u, IEEE802.3ab, IEEE802.3z, IEEE802.3x
- Corresponds to IEEE802.3af/at Power over Ethernet
- PSE Power on RJ45: Mode A 1/2(+), 3/6(-), Mode B 4/5(+), 7/8(-)
- Supports PoE power up to 32W for each PoE port
- PoE power budget: 185W
- Energy supply: 200W
- Automatic detection of power supply device
- Remote supply of power and data up to 100 m

- Flow control for full duplex operation and back pressure for half duplex operation
- Supports VLAN and CCTV function
- 8K MAC address, automatic address learning and address aging
- Supports energy-efficient Ethernet (EEE) function IEEE802.3az
- Supports the PD alive function
- LED: PWR, PoE, LINK/ACT, PoE Max
- Maximum packet length: 8K
- Transmission mode: Store and forward
- Switching capacity: 40Gps
- Packet forwarding rate: 29.76Mpps
- Packet buffer: 4M bit
- Fan: 1\*Fan
- Weight: < 4.2Kg
- Dimensions (L\*W\*G): 280\*180\*44mm
- Industrial usage: no
- Managed: no
- Outdoorsuitable: no
- PoE (Power over Ethernet): yes
- Protection against vanadism: no
- VLAN: yes

**Package contents**

- 16+2 Port GE + 2GE SFP Uplink PoE Switch
- Power Cord
- QIG

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	5	12.35	38.20	42.60	26.00	42,310.30
Packaging Unit Inside	1	2.47	0.00	0.00	0.00	0.00
Packaging Unit Single	1	2.47	23.00	37.00	8.00	6,808.00
Net single without Packaging	1	1.81	18.00	28.00	4.40	0.00

More images:

