

DIGITUS Gigabit Active 802.3at PoE Midspan

DN-95132
EAN 4016032485834



Gigabit Ethernet PoE+ Injector 802.3at, 30 W small housing, white

DN-95132 is an indoor rated active PoE midspan Injector specially designed for complex backhaul and networking applications. It provides 52Vdc, 0.58A power for remote PDs over 2 pairs output. It supports both 10/100 Base-T and Gigabit device. It works for 30W PoE PDs, such as wireless APs, WLAN routers, Network cameras, IP Phones, Microwave Radio and other power Ethernet terminals. It fully complies to IEEE802.3af/at PoE standard. Enclosed in an IP40 fire retardant plastic case. Enclosed in an IP40 fire retardant plastic case. It works with a wide input voltage of 100-240 VAC, 50 or 60 Hz. It has detection chip inside, which will detect and classify PD before powering it. It will not provide power until a standard-compliant PD is detected.

The effective distance is 100 meters over Cat5e/Cat6 cables. It is small in size but high performance

- IEEE802.3 10Base-T Ethernet
- IEEE802.3u 100Base-Tx Fast Ethernet
- IEEE802.3ab 1000Base-T Gigabit Ethernet
- Full compliant with IEEE802.3af/at PoE standard
- RoHS Compliance
- WEEE Compliance
- Input :100-240Vac 1.0A 50/60Hz
- Output: 52Vdc 580mA

- Power Pins: 4/5(+), 7/8(-)
- Data Speed: 10/100/1000Mbps
- Operating Temperature: 0° to 40°
- Operating Humidity: 20% to 80%, non-condensation
- Storage Temperature: -20° to 70°
- Operating Altitude: up to 2000meters
- Safety Approvals: CE/FCC
- Case: Plastic
- Color: White
- IP Rated: IP40
- Size: 107.3mm X 56mm X 34mm
- Weight: 146.8g
- Power Indicator : Yellow
- PoE Load Indicator : Green
- PoE load indicator: Green
- PoE Power budget: 30 W
- PoE standard: IEEE802.3at (PoE+)
- Ethernet speed: Gigabit
- Industrial usage: no

Package contents

- DN- 95132 PoE Injector
- Power Cord x 1
- Manual x 1

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	20	0.80	27.50	35.50	30.00	29,287.50
Packaging Unit Inside	1	0.04	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.04	13.80	16.50	5.00	1,138.50
Net single without Packaging	1	0.15	5.60	10.00	3.50	0.00

More images:

