

DIGITUS Gigabit Active 802.3af PoE Midspan

DN-95131
EAN 4016032486107



Gigabit Ethernet PoE Injektor, 802.3af, white 802.3af, 15,4 W small housing, white

DN-95131 is an indoor rated active PoE midspan Injektor specially designed for complex backhaul and networking applications. It provides 48Vdc, 0.32A power for remote PDs over 2 pairs output. It supports both 10/100 Base-T and Gigabit device. It works for 15.4W PoE PDs, such as wireless APs, WLAN routers, Network cameras, IP Phones, Microwave Radio and other power Ethernet terminals. It fully complies to IEEE802.3af PoE standard. Enclosed in an IP40 fire retardant plastic case. It works with a wide input voltage of 100-240 VAC, 50 or 60 Hz. It has detection chip inside, which will detect and classify PD before powering it. It will not provide power until a standard-compliant PD is detected.

The effective distance is 100 meters over Cat5e/Cat6 cables. It is small in size but high performance.

- IEEE802.3 10Base-T Ethernet
- IEEE802.3u 100Base-Tx Fast Ethernet
- IEEE802.3ab 1000Base-T Gigabit Ethernet
- Full compliant with IEEE802.3af PoE standard
- RoHS Compliance
- WEEE Compliance
- Input :100-240Vac 0.5A 50/60Hz

- Output: 48Vdc 320mA
- Power Pins: 4/5(+), 7/8(-)
- Data Speed: 10/100/1000Mbps
- Operating Temperature: 0° to 40°
- Operating Humidity: 20% to 80%, non-condensation
- Storage Temperature: -20° to 70°
- Storage Humidity: 10% to 90%, non-condensation
- Operating Altitude: up to 2000meters
- Safety Approvals: CE/FCC
- Case: Plastic
- Color: White
- IP Rated: IP40
- Size: 85mm X 30mm X 46mm
- Weight: 100g
- Power Indicator : Yellow
- PoE Load Indicator : Green
- Industrial usage: no

Package contents

- DN-95131 PoE Injektor
- Power Cord x 1
- Manual x 1

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	40	1.29	35.50	43.50	22.00	33,973.50
Packaging Unit Inside	1	0.03	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.03	10.00	16.80	4.30	722.40
Net single without Packaging	1	0.11	5.10	9.30	3.40	0.00

More images:

