

DIGITUS CAT 6A U-FTP patch cord, Cu, PVC AWG 30/7, length 3 m, color Black

DK-1644-A-030F/BL EAN 4016032348412





CAT 6A U-FTP flat patch cable, PVC, Cu AWG 30, Length 3m, color black

The DIGITUS® Category 6A Class EA patch cords are manufactured and tested to the ISO/IEC 11801 and DIN EN 50173 Category 6 A specifications. They will guarantee the installed cabling system is compliant with the ISO & EN channel specification requirements and will provide optimum performance levels of DIGITUS® Category 6A cabling. The performance is tested up to 500 MHz inclusive performance characteristics such as near end cross talk ("NEXT"). DIGITUS® patch cords are designed and produced to fulfill the highest requirements of various application areas in full volume. Each cable is fitted with a molded boot which comes with kink protection that prevents the latching lever against breaking. You can easily identify the Category 6A, because of the transparent yellow colored connector.

Future-oriented standards and high-end quality for your network.

• 2x RJ45 (8P8C) connectors

- · Boots with kink protection, strain relief and latch protection
- Length marking on boot
- Conductor: Copper (Cu)
- Assortment: Twisted Pair Patch Cables
- Flat Version: YES
- Length: 3 m
- Connector 1: Modular RJ45 (8/8) plug
- Connector 2: Modular RJ45 (8/8) plug
- Category: CAT 6A
- Packaging: DIGITUS Polybag
- Color: Black
- Configuration: 1:1
- Jacket: PVC
- · Shielding: S-FTP, pairs in metal foil and braid shielding

1

- Structure: 4 x 2 AWG 30/7, twisted pair
- Category: CAT 6A
- Slim Version: yes
- Flat Version: yes
- Logistics Number Weight Depth Width Height cm³ (pcs) (kg) (cm) (cm)(cm) 100 8.40 48.00 28.00 26.00 34,944.00 Packaging Unit Carton Packaging Unit Inside 10 0.84 10.00 28.00 31.00 8 680 00 84.00 2.00 16.00 25.50 816.00 Packaging Unit Single 1 Net single without Packaging 0 0.00 0.00 0.00 0.00 0.00



More images:

