

# DIGITUS CAT 6A U-UTP patch cord, Cu, PVC AWG 30/7, length 5 m, color Black

DK-1614-A-050F/BL  
EAN 4016032348740



**CAT 6A UTP flat patch cable, PVC, Cu AWG 30, Length 5m, color black**

The DIGITUS® Category 6A Class EA patch cords are manufactured and tested to the ISO/IEC 11801 and DIN EN 50173 Category 6 A specifications. They will guarantee the installed cabling system is compliant with the ISO & EN channel specification requirements and will provide optimum performance levels of DIGITUS® Category 6A cabling. The performance is tested up to 500 MHz inclusive performance characteristics such as near end cross talk ("NEXT"). DIGITUS® patch cords are designed and produced to fulfill the highest requirements of various application areas in full volume. Each cable is fitted with a molded boot which comes with kink protection and strain

relief. Furthermore the boot is equipped with a latch protection that prevents the latching lever against breaking. You can easily identify the Category 6A, because of the transparent yellow colored connector.

**Cavo di rete ultrasottile a basso profilo - Ideale per un'installazione invisibile sotto i tappeti o dietro il battiscopa**

- Lunghezza minima di avvio
- Cuffie rovesciate con scarico della trazione
- Conduttore: Cu
- Categoria: CAT 6A
- Versione stretta: sì
- Flat Version: no

| Logistics                    |              |             |            |            |             |        |
|------------------------------|--------------|-------------|------------|------------|-------------|--------|
|                              | Number (pcs) | Weight (kg) | Depth (cm) | Width (cm) | Height (cm) | cm³    |
| Packaging Unit Carton        | 100          | 10.70       | 48.00      | 28.00      | 27.00       | 0.00   |
| Packaging Unit Inside        | 10           | 1.07        | 8.00       | 25.00      | 28.00       | 0.00   |
| Packaging Unit Single        | 1            | 107.00      | 1.50       | 17.00      | 25.00       | 637.50 |
| Net single without Packaging | 0            | 0.00        | 0.00       | 0.00       | 0.00        | 0.00   |