

# Planet Gigabit Ethernet over Coaxial (BNC) Converter, 200 Mbps, up to 1.4km

VC-232G  
EAN 4711605283182



## Planet Gigabit Ethernet over Coaxial (BNC) Converter, 200 Mbps, up to 1.4km

Da utilizzare a coppie, configurazione tramite commutatore DIP (modo CPO / CPE). 1 x LAN (RJ45, 1000Base-T, cioè solo Gigabit), 1 x BNC (per cavo coassiale 75 Ohm RG-6/U o RG-59/U), velocità massima. 200 Mbps asincrono rispettivamente. 150 Mbps sincrono fino a 200 metri, distanza massima 1,4 km con velocità ridotta. Utilizza la tecnologia VDSL2 con vettoriale incl. G. INP. Custodia metallica, consumo di potenza max. 3.7W, dimensioni 70 x 97 x 26 mm, peso 185g, alimentatore esterno incluso.

- ITU-T G.993.5 G.Vectoring and G.INP
- Upstream/Downstream bandwidth up to 200/100Mbps
- CO/CPE mode selectable via DIP switch
- Selectable target band plan and SNR margin

- Half duplex back pressure and IEEE 802.3x full duplex pause frame flow control
- One BNC connector for VDSL connection
- Uses existing RG59/RG6 coaxial cable
- Used in pairs to extend Point-to-Point connection up to 1.4km
- Supports a packet size of up to 1522 bytes, IEEE 802.1Q VLAN tag transparency
- Advantage of minimum installation time (Simply by Plug-and-Play)
- Supports extensive LED indicators for network diagnosis
- Co-work with PLANET media converter chassis (MC-700/MC-1500/MC-1500R/MC-1500R48)
- Compact in size and easy to install
- Uso industriale: no
- Iniettore PoE: no

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm <sup>3</sup>
Packaging Unit Carton	1	0.55	13.80	28.30	6.70	2,616.61
Packaging Unit Inside	1	0.55	13.80	28.30	6.70	2,616.61
Packaging Unit Single	1	0.55	13.80	28.30	6.70	2,616.61
Net single without Packaging	0	0.55	13.80	28.30	6.70	2,616.61