

DIGITUS Ventilators for use in ventilator units for network and server cabinets

DN-19 FAN
EAN 4016032194422



Fan replacement for fan units 138 m³/h air circulation, 47 dB/m noise level

The individual ventilator from DIGITUS® serves as replacements to exchange with existing ventilator units from DIGITUS® for network and server cabinets. Alternatively, the ventilator can also be individually wired and commissioned. For example, it can serve as an extension to the DIGITUS® wall mounting cabinets for outdoor areas (e.g.: DN-19 12-U-I-OD) in which it can simply be snapped in on the inside in front of the existing filter.

This DIGITUS® 483 mm (19") accessory was developed for the demanding requirements placed on IT infrastructure and manufactured according to German quality standards.

- Dimensions: 120 x 120 x 38 mm
- Weight: 530 g
- 1-phase
- Power supply: 230 VAC
- Frequency: 50/60 Hz
- Power output: 0.14/0.12 A
- Power input: 22/21 W

- Speed: 2700/3100 RPM
- Air circulation: 161.40 / 195.38 m³/h
- Noise level: 42/47 dbA
- Operating temperature: -30 °C to +75 °C
- Life cycle: 50000 h
- Housing material: Die-cast aluminum alloy
- Caster material: UL 94-0 plastic
- Motor protection: Impedance protected
- Ball bearing
- Connection cable: Lead wires
- Color: black, RAL 9005
- Air flow: 152.9 m3/min
- Filter: no
- For cabinet series: all
- Inch form factor (IEC 60297): 482.6 mm (19")
- Mounting area: Roof
- Quantity of mounted fans: 1

Package contents

- 1 x Ventilator

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	60	28.40	59.50	50.00	46.60	138.64
Packaging Unit Inside	1	0.47	27.00	16.00	5.00	2.16
Packaging Unit Single	1	0.47	27.00	16.00	5.00	2.16
Net single without Packaging	0	0.47	5.00	15.00	30.00	2.25

