

DIGITUS USB Type-C™ VGA Graphics Adapter

DA-70853 EAN 4016032447511





USB Type-C to VGA Adapter, Full HD 1080p cable length: 19.5 cm, black

The USB Type-C™ VGA graphics adapter allows you to connect a VGA monitor or projector to a USB-C™ device. The highest possible resolution is Full HD (1080p). It is suitable for all operating systems: Windows, Mac, Google Chrome. The adapter is a must-have accessory, whether you use it privately when connecting your laptop to an additional monitor or professionally for presentations with a VGA projector.

Enables the connection of a monitor and projector to a USB-C™

- Connection 1: USB-C™ plug
- Connection 2: VGA socket
- Extends your USB-C™ device with a VGA port
- Supports Full HD (1920x1080p / 60Hz)
- USB-C™ version: USB 3.1 (Gen. 1)

- Corresponds to the VESA DisplayPort Alternate Mode
- Chipset: AG9300
- Cable length: 15.0 cm
- Color: Black
- Dimensions: L 4.5 x W 4.5 x H 1.5 cm
- Weight: 23.5 g Not all USB-C™ ports support all functions of USB Type-C™ standards. Make sure that the USB-C™ port of your laptop supports the DisplayPort Alternate Mode (DP Alt-mode).
- The video output capability depends on the graphics card of your laptop and the connected monitor. Some screens also have a limited resolution.
- USB-C proizvodi: Da

Package contents

- USB Type-C™ VGA Graphics Adapter
- QIG (quick installation guide)

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	100	4.85	56.00	32.00	23.00	41.22
Packaging Unit Inside	1	0.05	15.00	10.00	2.00	300.00
Packaging Unit Single	1	0.05	15.00	10.00	2.00	300.00
Net single without Packaging	0	0.03	19.50	3.70	1.70	122.66

More images:



















Safety notes

- Overloading can lead to overheating and damage to the appliance or the connected peripherals.
- If necessary, use an external power supply to ensure stable performance.
- If devices such as external hard disks or printers that require a high power consumption are connected, the device should be used with an external power supply. Otherwise, the device could be overloaded or functional problems could occur.
- Do not expose the device to rain, moisture, vapors or liquids.
- Do not insert any objects into the device.
- Do not attempt to repair the unit or open the housing without authorization. You risk an electric shock!
- Ensure adequate ventilation to prevent damage due to overheating.
- Dust, moisture, vapors and strong cleaning agents or solvents can cause damage to the device.
- Disconnect the appliance from the power supply and the connected devices before cleaning.
- Clean the device with a dust-free cloth.

EU responsible person

 $\ensuremath{\mathsf{EU}}$ based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH Auf dem Schüffel 3 Lüdenscheid, Germany https://www.assmann.com info@assmann.com