

# DIGITUS HDMI High Speed Connection Cable, with Amplifier

AK-330105-200-S  
EAN 4016032295822



## HDMI High Speed Connection Cable, Type A, w/amp. M/M, 20.0m, Full HD, gold, bl

This Full HD (1080p) and 3D suitable cable with active amplifier used for connection of audio/video devices such as Blu-ray player, game pads or consoles, etc., for example, with a TV, monitor or computer.

### Full HD and 3D capable over long distances by signal boost



- HDMI 1.3 feature support
- Support up to 1080p with 60Hz
- Supported Video formats: 1080p @24 Hz, 1080p @30 or @60Hz; 3D
- Supported Audio format: DVD-Audio, SACD, Dolby Digital Plus, TrueHD and dts-HD
- Support 3D

### Attributes

- Assortment: HDMI Cables
- AWG: 28
- Color cable: black
- Color connector: black
- Connector 1: HDMI type A, plug
- Connector 2: HDMI type A, plug
- Connector surface: gold-plated
- HDMI Standard: High Speed HDMI
- HDTV Standard: Full HD
- Hoods: molded
- Wire material: CU
- Length: 20 m
- AOC - Active Optical Cable: no
- Shielding: Double shielding

| Logistics                    |              |             |            |            |             |                 |
|------------------------------|--------------|-------------|------------|------------|-------------|-----------------|
|                              | Number (pcs) | Weight (kg) | Depth (cm) | Width (cm) | Height (cm) | cm <sup>3</sup> |
| Packaging Unit Carton        | 8            | 11.30       | 50.50      | 32.50      | 21.50       | 35,286.90       |
| Packaging Unit Inside        | 1            | 1.41        | 19.00      | 19.00      | 8.00        | 2,888.00        |
| Packaging Unit Single        | 1            | 1.41        | 19.00      | 19.00      | 8.00        | 2,888.00        |
| Net single without Packaging | 1            | 1.41        | 19.00      | 19.00      | 8.00        | 2,888.00        |

### More images:



**Safety notes**

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Make sure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)