


# DIGITUS Modular High Density Patch Panel, shielded

DN-91422  
EAN 4016032343295



**Modular Patch Panel, shielded, 24-port label field, 0.5U, rack mount, black RAL 9005**

The DIGITUS® 24-port 0.5U patch panel offers you a high packing density. As the panel is only 0.5U high, 48 ports (2 panels with 24 ports each) can be installed on 1U.

- Keystone mount design: 2-row
- Application areas: 483 mm (19") distribution cabinet
- Standards: ISO/IEC 11801 3rd Ed., EN 50173-1, EIA/TIA 568-C
- General properties:
- Suitable for 483 mm (19") rack mounting
- Suitable for shielded Digitus® Keystone modules and connectors
- Central earthing connection
- Plastic labeling field
- Technical features:



- Housing material: 1.5 mm SPCC cold-rolled sheet steel, powder-coated
- Material standard: EN 10 130(1991), BS 1449, NFA 36/401, DIN 1623, UNI 5866, UNE 36-086, SIS, JIS G 3141, ASTM, SAE, NFA 36/401
- Material earthing bar: galvanized steel
- Physical properties:
- Operating temperature: -20° C to +70 °C (ISO/IEC 11801, EN 50173-1, ANSI/TIA/EIA 568 C)
- Color: Black RAL9005
- HE: 0.5

**Attributes**

- Color: black, RAL 9005
- Ports: 24
- Units: 0

| Logistics                    |              |             |            |            |             |           |
|------------------------------|--------------|-------------|------------|------------|-------------|-----------|
|                              | Number (pcs) | Weight (kg) | Depth (cm) | Width (cm) | Height (cm) | cm³       |
| Packaging Unit Carton        | 10           | 6.30        | 55.00      | 38.00      | 18.00       | 37,620.00 |
| Packaging Unit Inside        | 1            | 0.63        | 3.00       | 53.00      | 18.00       | 2,862.00  |
| Packaging Unit Single        | 1            | 0.63        | 3.00       | 53.00      | 18.00       | 2,862.00  |
| Net single without Packaging | 1            | 0.54        | 3.00       | 53.00      | 18.00       | 2,862.00  |

**More images:**



**Safety notes**

- Protect product from moisture

**EU responsible person**

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH  
Auf dem Schüffel 3  
Lüdenscheid, Germany  
<https://www.assmann.com>  
[info@assmann.com](mailto:info@assmann.com)