

DIGITUS Power strip SMART PDU 0U, DIN49440 16A/250V power plug, 18x type E (NF-C61-314) sockets, 16A

DN-IP-V-2-18E
EAN 5907772595701



IPDU V power strip enables electrical energy measurement via a TCP/IP network. The front panel is equipped with 18 Type E sockets. It can be used in conjunction with an additional device (DN-S-BOX), allowing the connection of dedicated sensors for monitoring ambient temperature/humidity, dew point, door open/close status, as well as detecting the presence of water or smoke.

- Current: 16 A

- Input Plug: IEC 60309 16A 1ph/N/PE 6h
- Installation: Rack 0U
- Metering: PDU Metering
- Outlets: CEE 7/3
- Phase: 1ph
- Power: 3,6 kVA
- Volts: 230 V

More images:



Safety notes

- This product is not intended for unsupervised use by children or persons under their care!
- Prevent higher humidity or temperatures than those specified in the data sheet - Avoid moisture, dust or vapors, solvents, flammable gases.
- Multiple sockets are not designed for permanent use with heavy loads!
- Multiple sockets must not be cascaded (avoid stringing together several multiple sockets).
- Defective multiple sockets must be taken out of service immediately and disposed of in an environmentally friendly manner.
- In the event of a fault, take the product out of operation and contact a qualified electrician.
- Do not open the product.
- Disconnect the product from the power supply before cleaning. Do not use any aggressive or abrasive cleaning agents for cleaning.
- The ingress of liquids can lead to a short circuit.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
Auf dem Schüffel 3
Lüdenscheid, Germany
<https://www.assmann.com>

info@assmann.com